
Table of Contents

.....	1
Given Parameters	1
Question 1	2
Question 2	2
Question 3	3
Question 4	3
Question 5	4
Question 6	6

```
clear; clc;
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
% Solution for ChE 231 MATLAB Assignment 3 %
%           Spring 2019                    %
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
```

Given Parameters

Define given parameters

```
Y_XS=0.5;   %g/g
alpha=2.8;  %g/g
beta=0.12;  %/hr
mu_m=0.75;  %/hr
Pm=60;      %g/L
Km=2.0;     %g/L
Ki=23;      %g/L
D=0.25;     %/hr
Sf=10;      %g/L
p=[Y_XS alpha beta mu_m Pm Km Ki D Sf];

% % Plot differential equations at various concentrations
% % in order to visually find range around each steady state
% X_vec=0:0.1:4; S_vec=0:0.1:2; P_vec=0:1:5;
%
% for k=1:length(P_vec)
%     for j=1:length(S_vec)
%         for i=1:length(X_vec)
%             X=X_vec(i);
%             S=S_vec(j);
%             P=P_vec(k);
%             F=bioreactor([X,S,P],p);
%             dX(i,j)=F(1);
%             dS(i,j)=F(2);
%             dP(i,j)=F(3);
%         end
%     end
%     figure(k)
%     mesh(X_vec,S_vec,dX','k')
```

```

% hold on
% mesh(X_vec,S_vec,dS')
% mesh(X_vec,S_vec,dP')
% legend('dX','dS','dP')
% xlabel('X'); ylabel('S'); zlabel('differential');
% clear dX dS dP
% end

```

Question 1

```

display('-----')
display('Question 1:')

% solves washout steady state
x0=[0 100 0];
options=optimoptions('fsolve','display','off');
F_SS1=fsolve(@(x) bioreactor(x,p),x0,options);
display(F_SS1)

% solves non-trivial steady state
x0=[1 50 50];
options=optimoptions('fsolve','display','off');
F_SS2=fsolve(@(x) bioreactor(x,p),x0,options);
display(F_SS2)
display('-----')

-----
Question 1:

F_SS1 =

    -0.0000    10.0000    -0.0000

F_SS2 =

    4.1949    1.6103    13.7592

-----

```

Question 2

```

display('Question 2:')
display('Linearization dx/dt=Ax, where x=[X S P]''')
syms X S P
f=bioreactor([X S P],p);
A=jacobian(f,[X S P]);
X=F_SS2(1); S=F_SS2(2); P=F_SS2(3);
A=subs(A);
A=double(A);
display(A);
display('Eigen values of A:')
lambda=eig(A);

```

```
display(lambda)
display('-----')
```

Question 2:
Linearization $dx/dt=Ax$, where $x=[X \ S \ P]'$:

A =

```
-0.0000    0.3301   -0.0227
-0.5000   -0.9103    0.0454
 0.8200    0.9244   -0.3135
```

Eigen values of A:

lambda =

```
-0.7180
-0.2558
-0.2500
```

Question 3

```
display('Question 3:')
display('(See MATLAB code for implementation of ode45 function)')
tspan=[0 10];
[t,sol]=ode45(@(t,x) bioreactor(x,p),tspan,F_SS2);
```


```
display('-----')
```

Question 3:
(See MATLAB code for implementation of ode45 function)

Question 4

```
display('Question 4:')
display('(See figure 1)')
figure(1)
plot(t,sol)
legend('X','S','P'); xlabel('time (hr)'); ylabel('Concentration (g/
L)');
title('Steady state dynamic response');
display('The dynamic responses are straight lines because the system')
display('is initially at steady state. Differentials equal zero.')
display('-----')
```

Question 4:
(See figure 1)
The dynamic responses are straight lines because the system
is initially at steady state. Differentials equal zero.



Question 5

```

display('Question 5:')
D=0.20;      %/hr
p=[Y_XS alpha beta mu_m Pm Km Ki D Sf];
[t,sol]=ode45(@(t,x) bioreactor(x,p),tspan,F_SS2);
display('(See figure 2)')
figure(2)
plot(t,sol)
legend('X','S','P'); xlabel('time (hr)'); ylabel('Concentration (g/
L)');
title('Dynamic response with D=0.20 hr^{-1}');

D=0.30;      %/hr
p=[Y_XS alpha beta mu_m Pm Km Ki D Sf];
[t,sol]=ode45(@(t,x) bioreactor(x,p),tspan,F_SS2);
display('(See figure 3)')
figure(3)
plot(t,sol)
legend('X','S','P'); xlabel('time (hr)'); ylabel('Concentration (g/
L)');
title('Dynamic response with D=0.30 hr^{-1}');
set(gca,'FontSize',12); set(gca,'FontName','Times');
display('Biomass concentration increases with lower dilution rate,')
display('and decreases with higher dilution rate.')

```


```
display('-----')
```


Question 5:

(See figure 2)

(See figure 3)

Biomass concentration increases with lower dilution rate,
and decreases with higher dilution rate.





Question 6

```

display('Question 6:')
% First find the new jacobian matrix using new diltion rate
D=0.20;      %/hr
p=[Y_XS alpha beta mu_m Pm Km Ki D Sf];
syms X S P
f=bioreactor([X S P],p);
A=jacobian(f,[X S P]);
X=F_SS2(1); S=F_SS2(2); P=F_SS2(3);
A=subs(A);
A=double(A);
% Solve system linearized using jacobian matrix
[t,sol]=ode45(@(t,x) bioreactor_linear(x,A),tspan,F_SS2);
display('(See figure 4)')
figure(4)
plot(t,sol)
legend('X','S','P'); xlabel('time (hr)'); ylabel('Concentration (g/
L)');
title('Linearized dynamic response with  $D=0.20 \text{ hr}^{-1}$ ');

% First find the new jacobian matrix using new diltion rate
D=0.30;      %/hr
p=[Y_XS alpha beta mu_m Pm Km Ki D Sf];
syms X S P

```

```

f=bioreactor([X S P],p);
A=jacobian(f,[X S P]);
X=F_SS2(1); S=F_SS2(2); P=F_SS2(3);
A=subs(A);
A=double(A);
% Solve system linearized using jacobian matrix
[t,sol]=ode45(@(t,x) bioreactor_linear(x,A),tspan,F_SS2);
display('(See figure 5)')
figure(5)
plot(t,sol);
legend('X','S','P'); xlabel('time (hr)'); ylabel('Concentration (g/
L)');
title('Linear dynamic response with D=0.30 hr^{-1}');
display('Similar response in short time, however, non-realistic')
display('results with substrate concentration going negative.')
display('-----')


```


Question 6:

(See figure 4)

(See figure 5)

Similar response in short time, however, non-realistic
 results with substrate concentration going negative.





Published with MATLAB® R2016b